INDEX

ACETIN fats, short-term feeding studies on, 277.
ADELSON, S. See Keys, A., 39.
ALEXANDER, J. C. See Mattson, F. H., 277.
Alfalfa, aureomycin and cornstarch, beneficial effects of on the growth and survival of hamsters fed highly purified rations, 579.
— beneficial effects of on the ovarian development of immature rats fed massive doses of alpha estradiol, 147.
ALLISON, J. B., R. W. WANNEMACHER, JR., R. HILF AND C. A. HETZEL. The effect of methionine supplementation upon the tumor-host relationship in the rat, 27.
Alloxan diabetic rats, tryptophan-niacin metabolism in, 407.
Amino acid imbalance as related to methionine, isoleucine, threonine and tryptophan requirement of the rat or mouse, 353.
——s and other organic compounds, influence of on the gastrointestinal absorption of calcium[45] and stronium[89] in the rat, 371.
ANDERSON, J. T. See Keys, A., 39.
Antibody formation and natural resistance in nutritional deficiencies, 299.
Arginine requirement of the chick, influence of creatine biosynthesis on the, 491.
ARMSTRONG, W. D. See Caster, W. O., 57.
Ascorbic acid excretion in the stool in elderly subjects, 273.
ASHTON, G. C. See Liu, C. H., 267.
Aureomycin, (alfalfa) and cornstarch, beneficial effects of on the growth and survival of hamsters fed highly purified rations, 579.
— further studies on the effects of on the apparent utilization of vitamin A by the rat, 319.
— (and vitamin B_{12}), influence of upon the growth of protein-deficient children, 155.

BAUMANN, C. A. See Finlayson, J. S., 211.
BAUR, F. J. See Mattson, F. H., 277.
Beef (and milk) proteins, biological value of, I. The effect of radiation sterilization on the nutritive value of foods, 479.
BENDA, C. E. See Bronner, F., 393.
BERG, R. T. See Sibbald, I. R., 385.
Biological utilization of the palmitic acid esters of pantothenic acid, 327.
— value of dietary protein incorporated in high- and low-fat diets, a comparison of, 501.
—— of milk and beef proteins, I. The effect of radiation sterilization on the nutritive value of foods, 479.
—— of oil and fats. IV. The rate of intestinal absorption, 343.
Blood and urinary vitamin concentrations and fat balance in the rhesus monkey *(Macaca mulatta)*, 527.
BORCHERS, R., AND D. MOHAMMAD-ABADI. Indican excretion by rats fed raw soybean oil meal, 435.
Borden Award in Nutrition for 1957, 601.
BOWLAND, J. P. See Sibbald, I. R., 385.
BRIGGS, G. M. See Reid, M. E., 103.
BRING, S. V. See Warnick, K. P., 121.
BRONNER, F., R. S. HARRIS, C. J. MALETSKOS AND C. E. BENDA. Studies in calcium metabolism. Effect of food phytate on calcium[45] uptake in boys on a moderate calcium breakfast, 393.
BROWN, E. See Schofield, F. A., 561.
BUTLER, L. D., M. T. CHILDS AND A. J. FORSYTHE. The relation of serum cholesterol to the physical measurements and diet of women, 469.

CALCIUM, effect of intermittent consumption in rats, 267.
— metabolism, studies in. Effect of food phytate on calcium[45] uptake in boys on a moderate calcium breakfast, 393.
— phosphorus, riboflavin and nitrogen, utilization of on restricted and supplemented diets, 561.
Calcium[45] and strontium[89], influence of amino acids and other organic compounds on the gastrointestinal absorption in the rat, 371.
— uptake in boys on a moderate calcium breakfast, effect of food phytate on. Studies in calcium metabolism, 393.
CAMPBELL, J. A. See Murray, T. K., 319.
Carbohydrate, digestible, and digestible food energy, energy intake and body composition of the chick in relation to the dietary concentrations of, 255.
CARTER, M. W. See Matrone, G., 235.
CASTER, W. O., AND W. D. ARMSTRONG. Pair-feeding as a control procedure in metabolic studies on the x-irradiated rat, 57.
CATRON, D. V. See Liu, C. H., 267.
Chick(s), arginine requirement of, influence of creatine biosynthesis on the,
— energy intake and body composition of in relation to the dietary concentrations of digestible carbohydrate and digestible energy, 255.
— food intake and utilization of lysine-deficient protein by, in relation to the digestible energy concentration of the diet, 243.
— growing, effect of protein level on the tryptophan requirement of the, 67.
Chickens, vitamin K activity of menadione sodium sulfite in, 181.
CHIEFFI, M., AND J. E. KIRK. The ascorbic acid excretion in the stool of elderly subjects, 273.
Children, protein-deficient, influence of vitamin B_{12} and aureomycin upon the growth of, 155.
CHILDS, M. T. See Butler, L. D., 469.
Chlortetracycline and vitamin B_{12}, alone or in combination, influence on nitrogen utilization by growing swine, 459.
Cholesterol, dietary, lack of effect on serum cholesterol in man, 39.
— serum, in man, lack of effect of dietary cholesterol, 39.
—— relation to the physical measurements and diet of women,

CLEVELAND, F. S. See Mackay, I. F. S., 155.
COMAR, C. L. See Wasserman, R. H., 371.
CONIGLIO, J. G. See Dutra de Oliviera, J. E., 515.
Cornstarch (alfalfa and aureomycin), beneficial effects of on the growth and survival of hamsters fed highly purified rations, 579.
Corynebacterium infection, thiamine, pyridoxine and pantothenic acid in the natural resistance of the rat to, 287.
Creatine biosynthesis, influence of on the arginine requirement of the chick,

DARBY, W. J. See Dutra de Oliviera, J. E., 515; 527.
Diet(s) and age, serum vitamin C of Iowa school children and its relationship to, 309.
— digestible energy concentration of, food intake and utilization of lysine-deficient protein by the chick in relation to the, 243.
— high- and low-fat, a comparison of the biological values of dietary protein incorporated in, 501.
— restricted and supplemented, utilization of calcium, phosphorus and riboflavin and nitrogen on, 561.
— and serum cholesterol in man: lack of effect of dietary cholesterol, 39.
— of women, relation of serum cholesterol to the physical measurements and,
DRYDEN, L. P., See Hartman, A. M., 77.
DRYDEN, L. P., C. H. RIEDEL AND A. M. HARTMAN. Comparative assay for vitamin B_{12} in certain milk products by various rat growth methods, 89.
DUTRA DE OLIVIERA, J. E., J. G. CONIGLIO, K. P. MISRA, W. N. PEARSON, J. A. EFNER AND W. J. DARBY. A study of blood and urinary vitamin concentrations and of fat balance in the rhesus monkey *(Macaca mulatta)*, 527.
DUTRA DE OLIVIERA, J. E., W. N. PEARSON, K. P. MISRA, G. W. HUDSON AND W. J. DARBY. The effects of x-irradiation on the vitamin excretion of the rhesus monkey *(Macaca mulatta)*, 527.

EFNER, J. A. See Dutra de Oliviera, J. E., 515.
Energy (digestible) concentration of the diet, food intake and utilization of lysine-deficient protein by the chick in relation to the, 243.
— intake and body composition of the chick in relation to the dietary concentrations of digestible food energy, 255.
EPPRIGHT, E. S. See Roderuck, C., 309.
ERSHOFF, B. H. Beneficial effects of alfalfa, aureomycin and cornstarch on the growth and survival of hamsters fed highly purified rations, 579.
ERSHOFF, B. H., H. J. HERNÁNDEZ AND J. H. MATTHEWS. Beneficial effects of alfalfa on the ovarian development of immature rats fed massive doses of alpha estradiol, 147.
Estradiol (alpha), beneficial effects of alfalfa on the ovarian development of immature rats fed massive doses of, 147.
Excretion of ascorbic acid in the stool of elderly subjects, 273.
— indican, by rats fed raw soybean oil meal, 435.

FAT(s), acetin, short-term feeding studies on, 277.
— balance and blood and urinary vitamin concentration in the rhesus monkey *(Macaca mulatta)*, 515.
— and oils, biological value of. IV. The rate of intestinal absorption, 343.
FIDANZA, F. See Keys, A., 39.
FINLAYSON, J. S., AND C. A. BAUMANN. Responses of rats to urea and related substances. The use of a spaced-feeding technique, 211.
FIRTH, J., AND B. C. JOHNSON. Quantitative relationships of tryptophan and nicotinic acid in the baby pig, 223.
FISHER, H., R. C. SALANDER AND M. W. TAYLOR. The influence of creatine biosynthesis on the arginine requirement of the chick, 491.
Fluorine in the bones of the fluoridated rat, effect of age on the level and metabolism of, 425.
Folic acid. Nutritional studies with the guinea pig. IV., 103.
Food(s) energy, digestible (digestible carbohydrate and), energy intake and body composition of the chick in relation to the dietary concentrations of, 255.
— intake and nitrogen retention in the weanling rat, digestible energy in relation to, 385.
— intake and utilization of lysine-deficient protein by the chick in relation to the digestible energy concentration of the diet, 243.
— nutritive value of, effect of radiation sterilization on. I. Biological value of milk and beef proteins, 479.
FORBES, R. N. See Griminger, P., 67; Meade, R. J.,
FORSYTHE, A. J. See Butler, L. D., 469.
FROST, D. V., H. S. Perdue and H. C. Spruth. Vitamin K activity of menadione sodium sulfite in chickens, 181.

GARREN, H. W. See Matrone, G., 235.
Genistin, effect of on growth and development of the male mouse, 235.
GRAU, C. R. See Williams, M. A., 243; 255.
GREENE, R. D. See Schaefer, A. E., 171.
GRIMINGER, P., H. M. SCOTT AND R. M. FORBES. The effect of protein level on the tryptophan requirement of the growing chick, 67.
Growth and development of the male mouse, effect of genistin on, 235.
— of protein-deficient children, influence of vitamin B_{12} and aureomycin on, 155.
— reproduction and lactation of rats, requirements for vitamin B_{12} during, 135.
— and survival of hamsters fed highly purified rations, effect of alfalfa, aureomycin and cornstarch on, 579.
Guinea pig, nutritional studies with. IV. Folic acid, 103.

HAMSTERS, beneficial effects of alfalfa, aureomycin and cornstarch on growth and survival when fed highly purified rations, 579.
HARRIS, R. S. See Bronner, F., 393.
HARTMAN, A. M. See Dryden, L. P., 89.
HARTMAN, A. M., L. P. DRYDEN AND G. H. RIEDEL. Vitamin B_{12} content of milk and milk products as determined by rat assay, 77.

HAYS, R. L., AND K. A. KENDALL. The beneficial effects of progesterone on pregnancy in the vitamin A-deficient rabbit, 337.
HERNÁNDEZ, H. J. See Ershoff, B. H., 147.
HETZEL, C. A. See Allison, J. B., 27.
HIGGINS, E. S., D. A. RICHERT AND W. W. WESTERFELD. Molybdenum deficiency and tungsten inhibition studies, 539.
HILF, R. See Allison, J. B., 27.
Hormones, ovarian, effect of ovariectomy and administration of on nicotinic acid metabolism of rats, 443.
HUDSON, G. W. See Dutra de Oliviera, J. E., 527.
HUNDLEY, J. M. See McDaniel, E. G., 407.

INDICAN excretion by rats fed raw soybean oil meal, 435.
Infection, (Corynebacterium) thiamine, pyridoxine and pantothenic acid in the natural resistance of the rat to, 287.
Iowa School children, serum vitamin C of and its relation to diet and age, 309.
Isoleucine, methionine, threonine and tryptophan requirement of the rat or mouse, amino acid imbalance as related to, 353.

JAFFE, W. Requirements of rats for vitamin B_{12} during growth, reproduction and lactation, 135.
JEBE, E. H. See Roderbruck, C., 309.
JOHNSON, B. C. See Firth, J., 223; Metta, V. C., 479.

KENDALL, K. A. See Hays, R. L., 337.
KEYS, A., J. T. ANDERSON, O. MICHELSEN, S. ADELSON AND F. FIDANZA. Diet and serum cholesterol in man: lack of effect of dietary cholesterol, 39.
KIRK, J. E. See Chieffi, M., 273.
KUMMEROW, F. A. See Sakuragi, T., 327.

LACTATION (reproduction and) of rats receiving corn oil or butterfat in the presence of sulfathalidine, 197.
LIENER, I. E. See Viswanatha, T., 197.
LIU, C. H., G. C. ASHTON AND D. V. CATRON. The effect of intermittent consumption of calcium in rats, 267.
LOJKIN, M. E. Effect of ovariectomy and administration of ovarian hormones and testosterone on nicotinic acid metabolism of rats, 443.
LOUGHLIN, M. E. See Teeri, A. E., 587.

MACKAY, I. F. S., S. J. PATRICK, D. STAFFORD AND F. S. CLEVELAND. The influence of vitamin B_{12} and aureomycin upon the growth of protein-deficient children, 155.
MACLEOD, F. L. See Schofield, F. A., 561.
MALETSKOS, C. J. See Bronner, F., 393.
Man, serum cholesterol in: lack of effect of dietary cholesterol, 39.
MARTIN, W. G., See Reid, M. E., 103.
MATRONE, G., W. W. G. SMART, JR., M. W. CARTER, V. W. SMART AND H. W. GARREN. Effect of genistin on growth and development of the male mouse, 235.
MATTHEWS, J. H. See Ershoff, B. H., 147.
MATTSON, F. H., J. C. ALEXANDER, F. J. BAUR AND H. H. RELLER. Short-term feeding studies on acetin fats, 277.
MCDANIEL, E. G., J. M. HUNDLEY AND W. H. SEBRELL. Tryptophan-niacin metabolism in alloxan diabetic rats, 407.
MCDONALD, B. B. See Schofield, F. A., 561.
MEADE, R. J., AND R. M. FORBES. The influence of chlortetracycline and vitamin B_{12} alone or in combination, on nitrogen utilization by growing swine, 459.
Menadione sodium sulfite, vitamin K activity of in chickens, 181.
Metabolism, calcium, studies in. Effect of food phytate on calcium^{45} uptake in boys on a moderate calcium breakfast, 393.
Metabolism, tryptophan-niacin, in alloxan diabetic rats, 407.
Methionine, isoleucine, threonine and tryptophan requirement of the rat or mouse, amino acid imbalance as related to, 353.
— supplementation, effect of upon the tumor-host relationship in the rat, 27.
METTA, V. C., AND B. C. JOHNSON. The effect of radiation sterilization on the nutritive value of foods. I. Biological value of milk and beef proteins, 479.
METTA, V. C., AND H. H. MITCHELL. A comparison of the biological value of dietary protein incorporated in high- and low-fat diets, 479.
MICHELSEN, O. See Keys, A., 39.
Microbiological method for the nutritional evaluation of proteins, 587.
Milk and beef proteins, biological value of. I. The effect of radiation sterilization on the nutritive value of foods, 479.
— and milk proteins, vitamin B_{12} content of as determined by rat assay, 77.
— products, comparative assay for vitamin B_{12} in by various rat growth methods, 89.
MILLER, R. F., AND P. H. PHILLIPS. The effect of age on the level and metabolism of fluorine in the bones of the fluoridated rat, 425.
MISRA, K. P. See Dutra de Oliviera, J. E., 515; 527.
MITCHELL, H. H. See Metta, V. C., 501.
MOHAMMAD-ABADI, D. See Borchers, R., 435.
Molybdenum deficiency and tungstate inhibition studies, 539.
Monkey, rhesus (*Macaca mulatta*), effects of x-irradiation on the vitamin excretion of, 527.
——— a study of blood and urinary vitamin concentrations and of fat balance in, 515.
MORRELL, E., See Schofield, F. A., 561.
Mouse (or rat), amino acid imbalance as related to methionine, threonine and tryptophan requirement of, 353.
Mouse, male, effect of genistin on growth and development of the, 235.
MURRAY, T. K., AND J. A. CAMPBELL. Further studies on the effect of aureomycin on the apparent utilization of vitamin A by the rat, 319.

NICOTINIC acid metabolism of rats, effect of ovariectomy and administration of ovarian hormones and testosterone on, 443.
—— (tryptophan and) in the baby pig, quantitative relationships of, 223.

Nitrogen (calcium phosphorus, riboflavin and), utilization of on restricted and supplemented diets, 561.
— retention in the weanling rat, digestible energy in relation to food intake and, 385.
— utilization by growing swine, influence of chlortetracycline and vitamin B_{12} alone or in combination on, 459.
NOLD, M. M. See Wasserman, R. H., 371.
Nutritional deficiencies, antibody formation and natural resistance in, 299.
— evaluation of proteins, a biological method for, 587.
— studies with the guinea pig. IV. Folic acid, 103.
Nutritive value of foods, effect of radiation sterilization on. I. Biological value of milk and beef proteins, 479.

OILS and fats, biological value of, IV. The rate of intestinal absorption, 343.
Osborne Award in Nutrition, 1957, 603.
OSBORNE, THOMAS BURR (1859–1929), 3.
Ovariectomy, effect of and of administration of ovarian hormones and testosterone on nicotinic acid metabolism of rats, 443.

PAIR-FEEDING as a control procedure in metabolic studies on the x-irradiated rat, 57.
Palmitic acid esters of pantothenic acid, biological utilization of, 327.
Pantothenic acid, biological utilization of the palmitic acid esters of, 327.
— — (thiamine, pyridoxine and) in the natural resistance of the rat to a Corynebacterium infection, 287.
PATRICK, S. J. See Mackay, I. F. S., 155.
PEARSON, W. N. See Dutra de Oliviera, J. E., 515, 527.
PERDUE, H. S. See Frost, D. V., 181.
PHILLIPS, P. H. See Miller, R. F., 425.
Phosphorus (calcium), riboflavin and nitrogen, utilization of on restricted and supplemented diets, 561.
Phytate, food, effect of on calcium^{45} uptake in boys on a moderate calcium breakfast. Studies in calcium metabolism, 393.
Pig, baby, quantitative relationships of tryptophan and nicotinic acid in the, 223.
Potatoes and brown rice, physiological availability of thiamine from, 121.
Pregnancy in the vitamin A-deficient rabbit, beneficial effects of progesterone on, 337.
Progesterone, beneficial effects on pregnancy in the vitamin A-deficient rabbit, 337.
Protein(s), dietary, comparison of biological values in high- and low-fat diets,
— level, effect of on the tryptophan requirement of the growing chick, 67.
— lysine-deficient, utilization of by the chick in relation to the digestible energy concentration of the diet, 243.
— milk and beef, biological value of, I. The effect of radiation sterilization on the nutritive value of foods, 479.
— nutritional evaluation of, a microbiological method for, 587.
PUDELKEWICZ, C. See Roderuck, C., 309.
Pyridoxine (thiamine) and pantothenic acid in the natural resistance of the rat to a Corynebacterium infection, 287.

RABBIT, vitamin A-deficient, beneficial effects of progesterone on pregnancy in, 337.
Radiation sterilization, effect of on the nutritive value of foods. I. Biological value of milk and beef proteins, 479.
Rat(s), alloxan diabetic, tryptophan-niacin metabolism in, 407.
— apparent utilization of vitamin A by, further studies on the effect of aureomycin on, 579.
— assay, vitamin B_{12} content of milk and milk products as determined by, 77.
— the effect of intermittent consumption of calcium in, 267.
— effect of methionine supplementation upon the tumor-host relationship in the, 27.
— fed raw soybean oil, indican excretion by, 435.
— fluoridated, effect of age on the level and metabolism in the bones of the, 89.
— gastrointestinal absorption of calcium^{45} and strontium^{89} in, influence of amino acids and other organic compounds on, 371.
— growth methods, comparative assay for vitamin B_{12} in certain milk products by, 89.
— immature, fed massive doses of alpha estradiol, beneficial effects of alfalfa on the ovarian development of, 147.
— or mouse, amino acid imbalance as related to methionine, isoleucine, threonine and tryptophan requirement of, 353.
— natural resistance of to a Corynebacterium infection, thiamine, pyridoxine and pantothenic acid in the, 287.
— nicotinic acid metabolism of, effect of ovariectomy and administration of ovarian hormones and testosterone on, 443.
— reproduction and lactation of, receiving corn oil or butterfat in the presence of sulfathalidine, 197.
— requirements of for vitamin B_{12} during growth, reproduction and lactation, 135.
— responses of to urea and related substances. The use of a spaced-feeding technique, 211.
— weanling, digestible energy in relation to food intake and nitrogen retention in, 385.
— x-irradiated, pair-feeding as a control procedure in metabolic studies of the, 57.
Rations, highly purified, beneficial effects of alfalfa, aureomycin and cornstarch on growth and survival of hamsters fed, 579.
REID, M. E., M. G. MARTIN AND G. M. BRIGGS. Nutritional studies with the guinea pig. IV. Folic acid, 103.
RELLER, H. H. See Mattson, F. H., 277.
Reproduction and lactation of rats receiving corn oil or butterfat in the presence of sulfathalidine, 197.
— — — — — — requirements for vitamin B_{12} during, 135.
Riboflavin (calcium, phosphorus) and nitrogen, utilization of on restricted and supplemented diets, 561.
Rice, brown (and potatoes), physiological availability of thiamine from, 121.
RIEDEL, G. H. See Dryden, L. P., 89; Hartman, A. M., 77.
RICHERT, D. A. See Higgins, E. S., 539.
RODERUCK, C., C. PUDELKEQUICZ, E. H. JEBE AND E. S. EPPRIGHT. Serum vitamin C of Iowa school children and its relationship to diet and age, 309.

SAKURAGI, T., AND F. A. KUMMEROW. The biological utilization of the palmitic acid esters of pantothenic acid, 327.
SALANDER, R. C. See Fisher, H., 49.
SASSAMAN, H. L. See Schaefer, A. E., 171.

SAUBERLICH, H. E. Amino acid imbalance as related to methionine, isoleucine, threonine and tryptophan requirement of the rat or mouse, 353.
SCHAEFER, A. E., H. L. SASSAMAN, A. SLOCUM AND R. D. GREENE. Absorption of topically applied vitamins, 171.
SCHOFIELD, F. A., D. E. WILLIAMS, E. MORRELL, B. B. MCDONALD, E. BROWN AND F. L. MACLEOD. Utilization of calcium, phosphorus, riboflavin and nitrogen on restricted and supplemented diets, 561.
SCOTT, H. M. See Griminger, P., 67.
SEBRELL, W. H. See McDaniel, E. G., 407.
SERONDE, J., JR. See Zucker, T. F., 299.
SERONDE, J., JR., T. F. ZUCKER AND L. M. ZUCKER. Thiamine, pyridoxine and pantothenic acid in the natural resistance of the rat to a Corynebacterium infection, 287.
Serum cholesterol in man, diet and: lack of effect of dietary cholesterol, 39.
—— relation to the physical measurements and diet of women, 469.
— vitamin C of Iowa school children and its relationship to diet and age, 309.
SIBBALD, I. R., R. T. BERG AND J. P. BOWLAND. Digestible energy in relation to food intake and nitrogen retention in the weanling rat, 385.
SLOCUM, A. See Schaefer, A. E., 171.
SMART, V. W. See Matrone, G., 235.
SMART, W. W. G. See Matrone, G., 235.
Soybean oil meal, raw, indican excretion by rats fed, 435.
SPRUTH, H. C. See Frost, D. V., 181.
STAFFORD, D. See Mackay, I. F. S., 155.
Strontium^{85} (and calcium^{45}), influence of amino acids and other organic compounds on the gastrointestinal absorption in the rat, 371.
Sulfathalidine, reproduction and lactation of rats receiving corn oil or butterfat in the presence of, 197.
Swine, growing influence of chlortetracycline and vitamin B_{12}, alone or in combination, on nitrogen utilization by, 459.

TAYLOR, M. W. See Fisher, H., 491.
TEERI, A. E., W. VIRCHOW AND M. E. LOUGHLIN. A microbiological method for the nutritional evaluation of proteins, 587.
Testosterone, effect of ovariectomy and administration of ovarian hormones on nicotinic acid metabolism of rats, 443.
Thiamine, physiological availability of from potatoes and from brown rice, 121.
— pyridoxine and pantothenic acid in the natural resistance of the rat to a Corynebacterium infection, 287.
THOMASSON, H. J. The biological value of oils and fats. IV. The rate of intestinal absorption, 343.
Threonine, methionine, isoleucine and tryptophan requirement of the rat or mouse, amino acid imbalance as related to, 353.
Tryptophan, methione, isoleucine and threonine requirement of the rat or mouse, amino acid imbalance as related to, 353.
— -niacin metabolism in alloxan diabetic rats, 407.
— and nicotinic acid in the baby pig, quantitative relationships of, 223.
— requirement of the growing chick, effect of protein level on the, 67.
Tumor-host relationship in the rat, effect of methionine supplementation upon, 27.
Tungsten inhibition studies and molybdenum deficiency, 491.

UREA and related substances, responses of rats to. The use of a spaced-feeding technique, 211.

VICKERY, H. B. Thomas Burr Osborne (1859–1929), 3.
VIRCHOW, W. See Teeri, A. E., 587.
VISWANATHA, T., AND I. E. LIENER. Reproduction and lactation of rats receiving corn oil or butterfat in the presence of sulfathalidine, 197.
Vitamin(s), absorption of topically applied, 171.
— concentrations (blood and urinary) and fat balance in the rhesus monkey (*Macaca mulatta*), 515.
— excretion of the rhesus monkey (*Macaca mulatta*), effects of x-irradiation on, 515.
— A, apparent utilization of by the rat, further studies on the effect of aureomycin on the, 319.
— A-deficient rabbit, beneficial effects of progesterone on pregnancy in, 337.
— B_{12} and aureomycin, influence of upon the growth of protein-deficient children, 155.
—— (and chlortetracycline) alone or in combination, influence on nitrogen utilization by growing swine, 459.
—— comparative assay for in certain milk products by various rat growth methods, 89.
—— content of milk and milk products as determined by rat assay, 77.
—— requirements of rats during growth, reproduction and lactation, 135.
— C (serum) of Iowa school children and its relationship to diet and age, 309.
— K activity of menadione sodium sulfite in chickens, 181.

WANNEMACHER, R. W., JR. See Allison, J. B., 27.
WARNICK, K. P., M. V. ZAEHRINGER, S. V. BRING AND E. WOODS. Physiological availability of thiamine from potatoes and from brown rice, 121.
WASSERMAN, R. H., C. L. COMAR AND M. M. NOLD. The influence of amino acids and other organic compounds on the gastrointestinal absorption of calcium^{45} and strontium^{85} in the rat, 371.
WESTERFELD, W. W. See Higgins, E. S., 539.
WILLIAMS, D. E. See Schofield, F. A., 561.
WILLIAMS, M. A., AND C. R. GRAU. Food intake and utilization of lysine-deficient protein by the chick in relation to the digestible energy concentration of the diet, 243; Energy intake and body composition of the chick in relation to the dietary concentrations of digestible carbohydrate and digestible food energy, 255.
Women, physical measurements and diet of, relation of serum cholesterol to,
WOODS, E., See Warnick, K. P., 121.

X-IRRADIATION, effects of on the vitamin excretion of the rhesus monkey (*Macaca mulatta*), 515.

ZAEHRINGER, M. V. See Warnick, K. P., 121.
ZUCKER, L. M. See Seronde, J., Jr., 287; Zucker, T. F., 299.
ZUCKER, T. F. See Seronde, J. Jr., 287.
ZUCKER, T. F., L. M. ZUCKER AND J. SERONDE, JR. Antibody formation and natural resistance in nutritional deficiencies, 299.